

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS ✓
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIGURE 1

The following figures illustrate conceptual details of parts of the overall resource-address-translation flow.

AT	AID=0000	AID=0001	AID=0002		AID=FFFF
00	ART_Example				
01					
02					
FE					
FF					

Adapter-Type / Adapter-ID to Adapter-Resource Table Address

FIG. 2A

RT	ART_Example
00	ART Entry ₀
01	ART Entry ₁
02	ART_Example Entry for CQ Resource Type
03	
FF	ART Entry ₂₅₅

Adapter Resource Table (ART)

FIG. 2B

DWord	ART_Example Entry for CQ Resource Type				
0	ASAB		PRC	MRC	
1	SAC	Reserved	SMC	Reserved	
2	Reserved	LARID		Reserved	RIL
3	Access-Table Address (ATA) - AT is for all CQ Resources				
4	Adapter-Storage Base Address for SAT=0				
5	Adapter-Storage Base Address for SAT=1				
6-18	Reserved				
19	Adapter-Storage Base Address for SAT=15				
Bits	0	8	16	32	63

Figure 2C Adapter-Resource-Table Entry (ARTE).

Figure 3 Resource Address Translation.

